

286/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE


- Name of the school ST. THOMAS GIRLS' HIGH SCHOOL
with Address:- UDOIM ALDONA BARDEZ, NORTH GOA.
- Phone No If any:- 2293223
- Nearest Police Station:- ALDONA OUT POST BARDEZ GOA
- Total area of the school campus:- 4398.2 M²
- Built up area of the school:- 2648.52 M²
- Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	19	63.2 M ²
2.	Office	1	45.15 M ²
3.	H.M. room	1	22.5 M ²
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	B 01 G 04	1.80 M ² 3.50 M ²
6.	Urinals boys Urinals Girls	B — G —	— —
7	Safe drinking water/ water filter.	01	EUREKA FORBES

- Whether all facilities have barrier free access:- YES
- Sufficient teaching learning materials:- YES
- Sufficient sports and play equipment:- YES
- Whether playground available YES.
If available specify the area:- AROUND 1198 M²

DATE: 22-03-13

PLACE: MAPUSA BARDEZ.


O.A. LISBOA

Asst. Dist. Edu. Inspector
Bardez - Goa

28/1/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school MAE DE DEUS HIGH SCHOOL
with Address:- CORJUEM ALDONA BARDEZ GOA
NORTH GOA
2. Phone No If any:- 08 32 248 4229
3. Nearest Police Station:- ALDONA OUT POST BARDEZ GOA
4. Total area of the school campus:- 11888 M²
5. Built up area of the school:- 1293 M²
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	12	44 M ²
2.	Office	01	39.18 M ²
3.	H.M. room	01	8.4 M ²
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	02 02	2.12 m ² 1.8 m ²
6.	Urinals boys Urinals Girls	01 —	1 M ² —
7	Safe drinking water/ water filter.	STUDENTS BRING FROM HOME	—

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES
If available specify the area:- AROUND 10692 M²

DATE : 20-03-13

PLACE: MAPUSA BARDEZ

[Signature]
G. A. Gobo

Asst. Dist. Edu Inspector
Bardez - Goa

282/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE


1. Name of the school KEERTI VIDYALAYA - PORTAVADDO SIOHIM - BARDE
with Address:- COA - NORTH COA
2. Phone No if any:- 0832 2272275
3. Nearest Police Station:- SIOHIM OUTPOST BARDEZ GOA
(CANJONA POLICE STATION)
4. Total area of the school campus:- 2600 M²
5. Built up area of the school:- 1037.5 M²
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	13	42.35 M ²
2.	Office	1	41.20 M ²
3.	H.M. room	1	14.80 M ²
4.	Kitchen and store room	-	-
5.	Toilet Boys	02	3.88 M ²
	Toilet Girls	02	3.88 M ²
6.	Urinals boys	07	13.58 M ²
	Urinals Girls	07	13.58 M ²
7	Safe drinking water/ water filter.	02	EUREKA FOBRES

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES.
9. Sufficient sports and play equipment:- YES.
10. Whether playground available YES
If available specify the area:- AROUND 650 M²

DATE: 26-3-13

PLACE: MAPUSA BARDEZ.


O. A. LISBO

Asst. Dist. Edu. Inspector
Bardez - Goa

280/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school HOLY CROSS HIGH SCHOOL GAUNSAVADDO, SIOKLIM
with Address:- BARDEZ - NORTH COA.
2. Phone No if any:- 22 722 44
3. Nearest Police Station:- SIOKLIM OUTPOST (ANJUNA POLICE STATION)
4. Total area of the school campus:- 4485.91 M²
5. Built up area of the school:- 1811.39 M²
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	20	38.19 M ²
2.	Office	01	52.25 M ²
3.	H.M. room	01	33 M ²
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	1 5	2 M ² 1 M ²
6.	Urinals boys Urinals Girls	6 —	0.66 M ² —
7.	Safe drinking water/ water filter.	03	AQUAGAURTS

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES
If available specify the area:- Around 3560 M²

[Signature]
O. A. Castro

DATE: 10-04-13
PLACE: MAPUSA BARDEZ

Asst. Dist. Edu. Inspector
Bardez - Goa

2281c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school *ST. ELIZABETH'S HIGH SCHOOL PALMAR POMBURPA*
with Address:- *POST OFFICE CARONA BARDEZ, NORTH GOA 403523*
2. Phone No If any:- *2295452*
3. Nearest Police Station:- *POLICE OUTPOST ALBOMA - BARDEZ*
4. Total area of the school campus:- *944.83 M²*
5. Built up area of the school:- *908.67 M²*
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	06	36.16 M ²
2.	Office	01	36.16 M ²
3.	H.M. room	01	17.15 M ²
4.	Kitchen and store room	01	13.5 M ²
5.	Tollet Boys Tollet Girls	04 03	5 M ² 3 M ²
6.	Urinals boys Urinals Girls	- -	- -
7	Safe drinking water/ water filter.	01	AQUA GUARD

7. Whether all facilities have barrier free access:- *YES*
8. Sufficient teaching learning materials:- *YES*
9. Sufficient sports and play equipment:- *YES*

10. Whether playground available *YES*
If available specify the area:- *AROUND 4086 M²*

DATE: 03-06-13

PLACE: MAPUSA BARDEZ

[Signature]
O. A. Lobos

Asst. Dist. Edu. Inspector
Bardez - Goa

276/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school ST. THOMAS BOYS' HIGH SCHOOL
with Address:- ALDONA BARDEZ GOA, NORTH GOA.
2. Phone No If any:- 0832 2293 258 (0)
3. Nearest Police Station:- ALDONA OUTPOST BARDEZ GOA
4. Total area of the school campus:- 2207 M²
PRIMARY SCHOOL AND SECONDARY IS SEPERATED BY 300 METERS.
5. Built up area of the school:- 1323.1 M²
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	18	60 M ²
2.	Office	1	30.5 M ²
3.	H.M. room	1	30 M ²
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	8 0	3.75 M ² —
6.	Urinals boys Urinals Girls	11 0	4.5 M ² —
7	Safe drinking water/ water filter.	01	AQUA GUARD

7. Whether all facilities have barrier free access:- YES
8. Sufficent teaching learning materials:- YES
9. Sufficent sports and play equipment:- YES
10. Whether playground available YES
If available specify the area:- AROUND 19000 M²

[Signature]
O. A. Lisboa

Asst. Dist. Edu. Inspector
Bardez - Goa

DATE: 22/3/13
PLACE: MAPUSA BARDEZ

274/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE


1. Name of the school HOLY CROSS HIGH SCHOOL - BOA VISTA - BASTRA - BARDEZ
with Address:- NORTH GOA.
2. Phone No If any:- 0832 2260701
3. Nearest Police Station:- MAPUSA BARDEZ GOA
4. Total area of the school campus:- 2115.37 M²
5. Built up area of the school:- 1966.83 M²
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	25	46 M ²
2.	Office	1	22.55 M ²
3.	H.M. room	1	23.13 M ²
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	10 10	1.4 M ² 1.4 M ²
6.	Urinals boys Urinals Girls	— —	— —
7	Safe drinking water/ water filter.	02	AQUA GAARD EUREKA FORBES

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES.
9. Sufficient sports and play equipment:- YES.
10. Whether playground available YES.
If available specify the area:- AROUND 8000 M²

DATE: 25-03-13

PLACE: MAPUSA BARDEZ


O. A. Lisboa

Asst. Dist. Edu. Inspector
Bardez - Goa

272/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.


(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school ST. ANTHONY'S HIGH SCHOOL
with Address:- DULER MAPUSA BARDEZ - GOA
NORTH GOA
2. Phone No if any:- 0832 2250917 (0)
3. Nearest Police Station:- MAPUSA BARDEZ GOA
4. Total area of the school campus:- 8162.90 M²
5. Built up area of the school:- 1789.20 M²
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	23	37.5 M ²
2.	Office	01	37.5 M ²
3.	H.M. room	01	37.5 M ²
4.	Kitchen and store room	—	—
5.	Tollet Boys	06	1.5 m ²
	Tollet Girls	06	1.5 m ²
6.	Urinals boys	11	0.84 m ²
	Urinals Girls	06	1.5 M ²
7	Safe drinking water/ water filter.	WATER FILTER	CLFA e-WATER GENIUS

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES
If available specify the area:- AROUND 8162.90 M²

DATE: 18-03-13
PLACE: MAPUSA
BARDEZ


Asst. Dist. Edu. Inspector
Bardez - Goa

270/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE


- Name of the school ST. ELIZABETH'S PRIMARY SCHOOL
with Address:- PALMAR POMBURPA, NORTH GOA 403523
- Phone No If any:- 2295123
- Nearest Police Station:- ALDONA OUTPOST BARDEZ
- Total area of the school campus:- 227.03 M²
- Built up area of the school:- 147.90 M²
- Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	07	24 M ²
2.	Office	01	5 M ²
3.	H.M. room	01	5 M ²
4.	Kitchen and store room	-	-
5.	Toilet Boys Toilet Girls	1 2	2.08 M ² 2.06 M ²
6.	Urinals boys Urinals Girls	- -	- -
7	Safe drinking water/ water filter.	01	AQUA GAURD

- Whether all facilities have barrier free access:- YES.
- Sufficient teaching learning materials:- YES.
- Sufficient sports and play equipment:- YES.
- Whether playground available YES,
If available specify the area:- AROUND 4086 M²

DATE :- 03/4/13

PLACE :- MAPUSA - BARDEZ


O. A. Walter

Asst. Dist. Edu. Inspector
Bardez - Goa

268/C

NORTH EDUCATIONAL ZONE MAPUSA - GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

- Name of the school SARASWAT VIDYALAYA TERANGHAGAR KHORLIM
with Address:- MAPUSA BARDEZ COA NORTH COA.
- Phone No If any:- 2262850
- Nearest Police Station:- MAPUSA POLICE STATION - BARDEZ
- Total area of the school campus:- 1176.5 M²
- Built up area of the school:- 1122.43 M²
- Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	35	40.96 M ²
2.	Office	01	34.15 M ²
3.	H.M. room	01	8.06 M ²
4.	Kitchen and store room	-	-
5.	Tollet Boys	03	1.69 M ²
	Tollet Girls	08	1.17 M ²
6.	Urinals boys	22 (22)	0.37 M ²
	Urinals Girls	03	0.83 M ²
7	Safe drinking water/ water filter.	02	EUREKA FORBES

- Whether all facilities have barrier free access:- YES
- Sufficient teaching learning materials:- YES
- Sufficient sports and play equipment:- YES
- Whether playground available YES
If available specify the area:- AROUND 6032.50 M²

DATE: 12-04-13

PLACE: MAPUSA BARDEZ

[Signature]
O. A. Lobo
Dist. Edu. Inspector
Bardez - Goa

266/4

NORTH EDUCATIONAL ZONE MAPUSA -GOA
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school ST. FRANCIS XAVIER'S HIGH SCHOOL - BAMBON WADDO
with Address:- SOLIM - BARDEZ, NORTH GOA
2. Phone No If any:- 0832 2272245
3. Nearest Police Station:- SOLIM OUTPOST, ANJUNA POLICE STATION
ANJUNA BARDEZ.
4. Total area of the school campus:- 3000 M²
5. Built up area of the school:- 2064 M²
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	32	65 M ²
2.	Office	01	30 M ²
3.	H.M. room	01	20 M ²
4.	Kitchen and store room	—	—
5.	Tollet Boys	04	1.5 M ²
	Tollet Girls	04	1.5 M ²
6.	Urinals boys	09	0.9 M ²
	Urinals Girls	09	0.9 M ²
7	Safe drinking water/ water filter.	01	AQUA GUARD

7. Whether all facilities have barrier free access:- YES.
8. Sufficient teaching learning materials:- YES.
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES
If available specify the area:- AROUND 4100 M²

[Signature]
O. A. WTB

DATE: 01-04-13
PLACE: MAPUSA BARDEZ

Asst. Dist. Edu. Inspector
Bardez - Goa