

286/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE


1. Name of the school ST. THOMAS GIRLS' HIGH SCHOOL  
with Address:- UDOIM ALDONA BARDEZ, NORTH GOA.
2. Phone No If any:- 2293223
3. Nearest Police Station:- ALDONA OUT POST BARDEZ GOA
4. Total area of the school campus:- 4398.2 M<sup>2</sup>
5. Built up area of the school:- 2648.52 M<sup>2</sup>
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	19	63.2 M <sup>2</sup>
2.	Office	1	45.15 M <sup>2</sup>
3.	H.M. room	1	22.5 M <sup>2</sup>
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	B 01 G 04	1.80 M <sup>2</sup> 3.50 M <sup>2</sup>
6.	Urinals boys Urinals Girls	B — G —	— —
7.	Safe drinking water/ water filter.	01	EUREKA FORBES

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES.  
If available specify the area:- AROUND 1198 M<sup>2</sup>

DATE: 22-03-13

PLACE: MAPUSA BARDEZ.

  
O.A. Lisboa

Asst. Dist. Edu. Inspector  
Bardez - Goa

28/1/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school MAE DE DEUS HIGH SCHOOL  
with Address:- CORJUEM ALDONA BARDEZ GOA  
NORTH GOA
2. Phone No If any:- 08 32 248 4229
3. Nearest Police Station:- ALDONA OUT POST BARDEZ GOA
4. Total area of the school campus:- 11888 M<sup>2</sup>
5. Built up area of the school:- 1293 M<sup>2</sup>
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	12	44 M <sup>2</sup>
2.	Office	01	39.18 M <sup>2</sup>
3.	H.M. room	01	8.4 M <sup>2</sup>
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	02 02	2.12 m <sup>2</sup> 1.8 m <sup>2</sup>
6.	Urinals boys Urinals Girls	01 —	1 M <sup>2</sup> —
7	Safe drinking water/ water filter.	STUDENTS BRING FROM HOME	—

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES  
If available specify the area:- AROUND 10692 M<sup>2</sup>

DATE : 20-03-13

PLACE: MAPUSA BARDEZ

*[Signature]*  
G. A. Gobo

Asst. Dist. Edu Inspector  
Bardez - Goa

282/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE


- Name of the school KEERTI VIDYALAYA - PORTAVADDO SIOHIM - BARDEZ  
with Address:- COA - NORTH COA
- Phone No if any:- 0832 2272275
- Nearest Police Station:- SIOHIM OUTPOST BARDEZ GOA  
(CANJONA POLICE STATION)
- Total area of the school campus:- 2600 M<sup>2</sup>
- Built up area of the school:- 1037.5 M<sup>2</sup>
- Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	13	42.35 M <sup>2</sup>
2.	Office	1	41.20 M <sup>2</sup>
3.	H.M. room	1	14.80 M <sup>2</sup>
4.	Kitchen and store room	-	-
5.	Toilet Boys	02	3.88 M <sup>2</sup>
	Toilet Girls	02	3.88 M <sup>2</sup>
6.	Urinals boys	07	13.58 M <sup>2</sup>
	Urinals Girls	07	13.58 M <sup>2</sup>
7	Safe drinking water/ water filter.	02	EUREKA FOBRES

- Whether all facilities have barrier free access:- YES
- Sufficient teaching learning materials:- YES.
- Sufficient sports and play equipment:- YES.
- Whether playground available YES  
If available specify the area:- AROUND 650 M<sup>2</sup>

DATE: 26-3-13

PLACE: MAPUSA BARDEZ.

  
O. A. LISBO

Asst. Dist. Edu. Inspector  
Bardez - Goa

280/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school HOLY CROSS HIGH SCHOOL GAUNSAVADDA, SIOKIM  
with Address:- BARDEZ - NORTH GOA.
2. Phone No if any:- 22 722 44
3. Nearest Police Station:- SIOKIM OUTPOST (ANJUNA POLICE STATION)
4. Total area of the school campus:- 4485.91 M<sup>2</sup>
5. Built up area of the school:- 1811.39 M<sup>2</sup>
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	20	38.19 M <sup>2</sup>
2.	Office	01	52.25 M <sup>2</sup>
3.	H.M. room	01	33 M <sup>2</sup>
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	1 5	2 M <sup>2</sup> 1 M <sup>2</sup>
6.	Urinals boys Urinals Girls	6 —	0.66 M <sup>2</sup> —
7.	Safe drinking water/ water filter.	03	AQUAGAURJ

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES  
If available specify the area:- Around 3560 M<sup>2</sup>

*[Signature]*  
O. A. Castro

DATE: 10-04-13  
PLACE: MAPUSA BARDEZ

Asst. Dist. Edu. Inspector  
Bardez - Goa

2281C

**NORTH EDUCATIONAL ZONE MAPUSA -GOA**  
**Feasibility Report for Recognition of School Under R.T.E. Act.**

**(I) SCHOOL DETAILS AND INFRASTRUCTURE**

1. Name of the school *ST. ELIZABETH'S HIGH SCHOOL PALMAR POMBURPA*  
with Address:- *POST OFFICE CARONA BARDEZ, NORTH GOA 403523*
2. Phone No If any:- *2295452*
3. Nearest Police Station:- *POLICE OUTPOST ALBOMA - BARDEZ*
4. Total area of the school campus:- *944.83 M<sup>2</sup>*
5. Built up area of the school:- *908.67 M<sup>2</sup>*
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	06	36.16 M <sup>2</sup>
2.	Office	01	36.16 M <sup>2</sup>
3.	H.M. room	01	17.15 M <sup>2</sup>
4.	Kitchen and store room	01	13.5 M <sup>2</sup>
5.	Tollet Boys Tollet Girls	04 03	5 M <sup>2</sup> 3 M <sup>2</sup>
6.	Urinals boys Urinals Girls	- -	- -
7	Safe drinking water/ water filter.	01	AQUA GUARD

7. Whether all facilities have barrier free access:- *YES*
8. Sufficient teaching learning materials:- *YES*
9. Sufficient sports and play equipment:- *YES*

10. Whether playground available *YES*  
If available specify the area:- *AROUND 4086 M<sup>2</sup>*

DATE: 03-06-13

PLACE: MAPUSA BARDEZ

*[Signature]*  
O. A. Lobos

Asst. Dist. Edu. Inspector  
Bardez - Goa

276/C

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school ST. THOMAS BOYS' HIGH SCHOOL  
with Address:- ALDONA BARDEZ GOA, NORTH GOA.
2. Phone No If any:- 0832 2293 258 (0)
3. Nearest Police Station:- ALDONA OUTPOST BARDEZ GOA
4. Total area of the school campus:- 2207 M<sup>2</sup>  
PRIMARY SCHOOL AND SECONDARY IS SEPERATED BY 300 METERS.
5. Built up area of the school:- 1323.1 M<sup>2</sup>
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	18	60 M <sup>2</sup>
2.	Office	1	30.5 M <sup>2</sup>
3.	H.M. room	1	30 M <sup>2</sup>
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	8 0	3.75 M <sup>2</sup> —
6.	Urinals boys Urinals Girls	11 0	4.5 M <sup>2</sup> —
7	Safe drinking water/ water filter.	01	AQUA GUARD

7. Whether all facilities have barrier free access:- YES
8. Sufficent teaching learning materials:- YES
9. Sufficent sports and play equipment:- YES
10. Whether playground available YES  
If available specify the area:- AROUND 19000 M<sup>2</sup>

*[Signature]*  
O. A. Lisboa

Asst. Dist. Edu. Inspector  
Bardez - Goa

DATE: 22/3/13

PLACE: MAPUSA BARDEZ

274/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE


1. Name of the school HOLY CROSS HIGH SCHOOL - BOA VISTA - BASTRA - BARDEZ  
with Address:- NORTH GOA.
2. Phone No If any:- 0832 2260701
3. Nearest Police Station:- MAPUSA BARDEZ GOA
4. Total area of the school campus:- 2115.37 M<sup>2</sup>
5. Built up area of the school:- 1966.83 M<sup>2</sup>
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	25	46 M <sup>2</sup>
2.	Office	1	22.55 M <sup>2</sup>
3.	H.M. room	1	23.13 M <sup>2</sup>
4.	Kitchen and store room	—	—
5.	Tollet Boys Tollet Girls	10 10	1.4 M <sup>2</sup> 1.4 M <sup>2</sup>
6.	Urinals boys Urinals Girls	— —	— —
7	Safe drinking water/ water filter.	02	AQUA GAARD EUREKA FORBES

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES.
9. Sufficient sports and play equipment:- YES.
10. Whether playground available YES.  
If available specify the area:- AROUND 8000 M<sup>2</sup>

DATE: 25-03-13

PLACE: MAPUSA BARDEZ

  
O. A. Lisboa

Asst. Dist. Edu. Inspector  
Bardez - Goa

272/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.


(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school ST. ANTHONY'S HIGH SCHOOL  
with Address:- DULER MAPUSA BARDEZ - GOA  
NORTH GOA
2. Phone No if any:- 0832 2250917 (0)
3. Nearest Police Station:- MAPUSA BARDEZ GOA
4. Total area of the school campus:- 8162.90 M<sup>2</sup>
5. Built up area of the school:- 1789.20 M<sup>2</sup>
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	23	37.5 M <sup>2</sup>
2.	Office	01	37.5 M <sup>2</sup>
3.	H.M. room	01	37.5 M <sup>2</sup>
4.	Kitchen and store room	—	—
5.	Tollet Boys	06	1.5 m <sup>2</sup>
	Tollet Girls	06	1.5 m <sup>2</sup>
6.	Urinals boys	11	0.84 m <sup>2</sup>
	Urinals Girls	06	1.5 M <sup>2</sup>
7	Safe drinking water/ water filter.	WATER FILTER	CLFA e-WATER GENIUS

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES  
If available specify the area:- AROUND 8162.90 M<sup>2</sup>

DATE: 18-03-13  
PLACE: MAPUSA  
BARDEZ

  
Asst. Dist. Edu. Inspector  
Bardez - Goa



270/c

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE


- Name of the school ST. ELIZABETH'S PRIMARY SCHOOL  
with Address:- PALMAR POMBURPA, NORTH GOA 403523
- Phone No If any:- 2295123
- Nearest Police Station:- ALDONA OUTPOST BARDEZ
- Total area of the school campus:- 227.03 M<sup>2</sup>
- Built up area of the school:- 147.90 M<sup>2</sup>
- Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	07	24 M <sup>2</sup>
2.	Office	01	5 M <sup>2</sup>
3.	H.M. room	01	5 M <sup>2</sup>
4.	Kitchen and store room	-	-
5.	Toilet Boys Toilet Girls	1 2	2.08 M <sup>2</sup> 2.06 M <sup>2</sup>
6.	Urinals boys Urinals Girls	- -	- -
7	Safe drinking water/ water filter.	01	AQUA GAURD

- Whether all facilities have barrier free access:- YES.
- Sufficient teaching learning materials:- YES.
- Sufficient sports and play equipment:- YES.
- Whether playground available YES,  
If available specify the area:- AROUND 4086 M<sup>2</sup>

DATE :- 03/4/13

PLACE :- MAPUSA - BARDEZ

  
O. A. Walter

Asst. Dist. Edu. Inspector  
Bardez - Goa

268/C

NORTH EDUCATIONAL ZONE MAPUSA-GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school SARASWAT VIDYALAYA TERANGHAGAR KHORLIM  
with Address:- MAPUSA BARDEZ COA NORTH COA.
2. Phone No If any:- 2262850
3. Nearest Police Station:- MAPUSA POLICE STATION - BARDEZ
4. Total area of the school campus:- 1176.5 M<sup>2</sup>
5. Built up area of the school:- 1122.43 M<sup>2</sup>
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	35	40.96 M <sup>2</sup>
2.	Office	01	34.15 M <sup>2</sup>
3.	H.M. room	01	8.06 M <sup>2</sup>
4.	Kitchen and store room	-	-
5.	Tollet Boys	03	1.69 M <sup>2</sup>
	Tollet Girls	08	1.17 M <sup>2</sup>
6.	Urinals boys	22 (22)	0.37 M <sup>2</sup>
	Urinals Girls	03	0.83 M <sup>2</sup>
7	Safe drinking water/ water filter.	02	EUREKA FORBES

7. Whether all facilities have barrier free access:- YES
8. Sufficient teaching learning materials:- YES
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES  
If available specify the area:- AROUND 6032.50 M<sup>2</sup>

DATE: 12-04-13

PLACE: MAPUSA BARDEZ

*[Signature]*  
O. A. Lobo  
Dist. Edu. Inspector  
Bardez - Goa

266/4

NORTH EDUCATIONAL ZONE MAPUSA -GOA  
Feasibility Report for Recognition of School Under R.T.E. Act.

(I) SCHOOL DETAILS AND INFRASTRUCTURE

1. Name of the school ST. FRANCIS XAVIER'S HIGH SCHOOL - BAMBON WADDO  
with Address:- SOLIM - BARDEZ, NORTH GOA
2. Phone No If any:- 0832 2272245
3. Nearest Police Station:- SOLIM OUTPOST, ANJUNA POLICE STATION  
ANJUNA BARDEZ.
4. Total area of the school campus:- 3000 M<sup>2</sup>
5. Built up area of the school:- 2064 M<sup>2</sup>
6. Infrastructure details and sanitary condition:-

SrNo	room	Numbers	Average Size/Type
1.	Classroom	32	65 M <sup>2</sup>
2.	Office	01	30 M <sup>2</sup>
3.	H.M. room	01	20 M <sup>2</sup>
4.	Kitchen and store room	—	—
5.	Tollet Boys	04	1.5 M <sup>2</sup>
	Tollet Girls	04	1.5 M <sup>2</sup>
6.	Urinals boys	09	0.9 M <sup>2</sup>
	Urinals Girls	09	0.9 M <sup>2</sup>
7	Safe drinking water/ water filter.	01	AQUA GUARD

7. Whether all facilities have barrier free access:- YES.
8. Sufficient teaching learning materials:- YES.
9. Sufficient sports and play equipment:- YES
10. Whether playground available YES  
If available specify the area:- AROUND 4100 M<sup>2</sup>

*[Signature]*  
O. A. WTB

DATE: 01-04-13  
PLACE: MAPUSA BARDEZ

Asst. Dist. Edu. Inspector  
Bardez - Goa